

***...committed to improving the health outcome of women and children in africa.***



## ■ MYOMECTOMY KIT

# Introduction

**O**GEEV CARE is a product line of OGEEV LLC which deals with items relating to the health and wellbeing of women and children. Our kits contain materials for Cesarean Section (CS) and Myomectomy in two packages called CS Kit and Myomectomy kit respectively. The two aforementioned surgical procedures are life-saving interventions for women and children in line with the 4th and 5th United Nations Millennium Development Goals (MDGs) which seek to reduce child mortality and improve maternal health respectively.

A research paper published by Drs MA Adegbesan-Omilabu, KS Okunade, A Gbadegesin (of Lagos State University Teaching Hospital, LASUTH) in 2014 cited that over 80% of Nigerian women above 25 years had uterine fibroid (in varying degree), thus the high incidence of myomectomy in Nigerian hospitals.

The indications for Cesarean section has over the years witnessed an unfortunate upward spiral, contributing to the high incidence of the procedure today.

The kits contain affordable, quality materials required for the post-op management of patients adapted (in duration, type, and brand) per institution we serve.

## Package Categories

### CS KIT\*

#### STARTER KIT N17,000

Misoprostol: 3Tablets  
Oxytocin (Rotex): 1Pack  
Normal Saline: 8Pints  
Dextrose Saline: 4Pints  
Green Cannula: 1Unit  
Pink Cannula: 1Unit  
Blood Giving Set: 1Unit  
Drip Giving Set: 1Unit  
Plaster: 1Unit  
Metronidazole: 6Units  
Ceftriaxone: 4Units  
Pentazocine: 1Pack  
Injection Paracetamol: 1Pack  
5ml Syringe: 10Units  
2ml Syringe: 10Units  
Urethral Catheter (S18): 1Unit  
Urine Bag: 1Unit  
10ml Injection Water: 2Units  
Feeding Tube (S8): 1Unit

#### PREMIUM KIT1 N20,000

Misoprostol: 3Tablets  
Oxytocin (Rotex): 1Pack  
Normal Saline: 8Pints  
Dextrose Saline: 4Pints  
Green Cannula: 1Unit  
Pink Cannula: 1Unit  
Blood Giving Set: 1Unit  
Drip Giving Set: 1Unit  
Plaster: 1Unit  
Metronidazole: 6Units  
Ceftriaxone: 4Units  
Pentazocine: 1Pack  
Infusion Paracetamol: 6Units  
5ml Syringe: 10Units  
2ml Syringe: 10Units  
Urethral Catheter (S18): 1Unit  
Urine Bag: 1Unit  
10ml Injection Water: 2Units  
Feeding Tube (S8): 1Unit

#### PREMIUM KIT2 N40,000

Misoprostol: 3Tablets  
Oxytocin (Rotex): 1Pack  
Normal Saline: 8Pints  
Dextrose Saline: 4Pints  
Green Cannula: 1Unit  
Pink Cannula: 1Unit  
Blood Giving Set: 1Unit  
Drip Giving Set: 1Unit  
Plaster: 1Unit  
Metronidazole: 6Units  
Ceftriaxone (Rocephin): 4Units  
Pentazocine: 1Pack  
Infusion Paracetamol: 6Units  
5ml Syringe: 10Units  
2ml Syringe: 10Units  
Urethral Catheter (S18): 1Unit  
Urine Bag: 1Unit  
10ml Injection Water: 2Units  
Feeding Tube (S8): 1Unit

\* Hospitals served with this 48-hour regimen provide a delivery pack to patients on antenatal registration which contain items not in the kit e.g. mucus extractor, perineal pad, underlay, methylated spirit, disposable gloves, cotton wool.

### MYOMECTOMY KIT\*

#### STARTER KIT N21,000

Misoprostol: 3Tablets  
Normal Saline: 12Pints  
Dextrose Saline: 8Pints  
Green Cannula: 1Unit  
Pink Cannula: 1Unit  
Blood Giving Set: 1Unit  
Drip Giving Set: 1Unit  
Plaster: 1Unit  
Metronidazole: 6Units  
Ceftriaxone: 4Units  
Pentazocine: 1Pack  
Injection Paracetamol: 1Pk  
5ml Syringe: 10Units  
2ml Syringe: 10Units  
Urethral Catheter-18&24  
Urine Bag: 2Units  
10ml Injection Water: 2  
Underlay: 5Units  
Perineal Pad: 1Pack  
Methylated Spirit: 1Unit  
Cotton Wool Roll: 1Unit  
Disposable Gloves: 1Pack

#### PREMIUM KIT1 N25,000








Misoprostol: 3Tablets  
Normal Saline: 12Pints  
Dextrose Saline: 8Pints  
Green Cannula: 1Unit  
Pink Cannula: 1Unit  
Blood Giving Set: 1Unit  
Drip Giving Set: 1Unit  
Plaster: 1Unit  
Metronidazole: 6Units  
Ceftriaxone: 4Units  
Pentazocine: 1Pack  
Infusion Paracetamol: 6  
5ml Syringe: 10Units  
2ml Syringe: 10Units  
Urethral Catheter-18&24  
Urine Bag: 2Units  
10ml Injection Water: 2  
Underlay: 5Units  
Perineal Pad: 1Pack  
Methylated Spirit: 1Unit  
Cotton Wool Roll: 1Unit  
Disposable Gloves: 1Pack

#### PREMIUM KIT2 N45,000

Misoprostol: 3Tablets  
Normal Saline: 12Pints  
Dextrose Saline: 8Pints  
Green Cannula: 1Unit  
Pink Cannula: 1Unit  
Blood Giving Set: 1Unit  
Drip Giving Set: 1Unit  
Plaster: 1Unit  
Metronidazole: 6Units  
Ceftriaxone (Rocephin): 4Units  
Pentazocine: 1Pack  
Infusion Paracetamol: 6Units  
5ml Syringe: 10Units  
2ml Syringe: 10Units  
Urethral Catheter-18&24  
Urine Bag: 2Units  
10ml Injection Water: 2Units  
Underlay: 5Units  
Perineal Pad: 1Pack  
Methylated Spirit: 1Unit  
Cotton Wool Roll: 1Unit  
Disposable Hand Gloves: 1Pack

\* 48-hour Regimen





**C**esarean Section [C-Section] is the procedure by which one or more babies are delivered surgically in cases where 'normal delivery' would put baby and/or mother's life at risk.

#### WHAT TO EXPECT IN MOST SETTINGS

Day before operation:

- You will
    - be admitted to the [labor] ward
    - be asked to eat and drink nothing from 10PM
    - have your pubic hair shaved by the nurses (or inspected by them if you have done so to ensure it was properly done)
    - be asked to ensure provision has been made for blood in the event you need to be transfused
- Little plastic tubes (cannula-pink and/or green) would be connected to your veins; one in each arm

Day of operation:

- A plastic tube (catheter) would be passed into your urinary bladder to drain urine.
- You will be wheeled to the theatre where you will be asked to change into a theatre outfit and given fluids through the tiny tubes connected to your veins, and then taken to the operation table.
- On the operation table, anesthesia would be administered depending on your choice (General, in which you are put to sleep. Spinal, in which you are awake but can't feel any pain from the surgery).
- When you have been successfully anaesthetized, the surgeons are invited and the surgery is begun which summarily entails opening your womb and bringing out your baby.
- Once your baby is removed from your womb, he/she is immediately handed over to the baby doctors (Pediatricians).
- The baby doctor ensures your baby is in good condition then brings him/her to you briefly while the surgeons are closing you up.
- When the surgery is over, you will be congratulated, cleaned up and moved to your room in a stretcher. NB you may be transfused during or immediately after surgery depending on how it went.
- In your room, you may still be delirious from the anesthesia.
- You will be discouraged from taking anything by mouth till your doctors assess you and decide otherwise. Meanwhile you will be on intravenous fluids-'drip'-and medications (antibiotics) which will be administered by the nurses and doctors taking care of you. One or two medications (pain relievers) may be given through your thigh or buttocks.
- Your baby would be brought to you for breastfeeding. The benefits of exclusive breastfeeding are discussed shortly.

Day1 After Operation

- Your blood may be taken for a Packed Cell Volume (PCV) check-this is to help monitor your blood level.
- The catheter may be removed.
- You would still be on the fluids and medications started yesterday.
- You may be asked to start taking light feeds.
- You may be asked to start sitting up
- Despite the pain medications which would typically be given 4-hourly, you will still feel some discomfort.

Day2 After Operation

- You will typically be more stable by now
- You may be taken off the intravenous medications and fluids-'drip' and started on the equivalent tablets

Day3 After Operation

- Nothing typical

Day4 After Operation

- The plaster may be taken off in which case you will be taught on how to clean the wound created by the surgery. Some patients are discharged on this day.

Day5 After Operation

- You should be discharged to come at the postnatal clinic for follow up.

**EXCLUSIVE BREASTFEEDING** is defined as giving no other food or drink-not even water-except breast milk for the first 6months of life.

#### BENEFITS:

Best for baby

Reduces incidence of allergies

Economical - no waste

Antibodies - greater immunity to infections

Stool inoffensive - never constipated

Temperature always correct and constant

Fresh milk - never goes sour in the breast

Emotionally bonding

Easy once established

Digested easily within two to three hours

Immediately available

Nutritionally balanced

📍 29, Sogbesan Close, Oniru Estate,  
Victoria Island, Lagos.

🌐 [www.ogeev.com](http://www.ogeev.com)

📱 Ogeev Care

📷 Ogeevcare

🐦 Ogeev Care

✉ [ogeevcare@yahoo.com](mailto:ogeevcare@yahoo.com)

☎ 09061186210